INDEX FOR VOLUME 43

Acoustic: Sensitive transmitter, 1001
Activity: Coyotes, 944
  Measuring activity of confined badgers, 997
Activity patterns: Bias in radio triangulation, 926
Aepyceros melampus, see Impala
Aerial spray: Methiocarb for repelling blackbirds, 747
Aerial survey: Movements and segregation of caribou, 626
Age determination: External for common snipe, 754
  Feather molt in mourning doves, 202
  Juvenile sandhill cranes in the field, 211
  Juvenile white-tailed ptarmigan, 508
  Mallards, 384
  Pelt size and weight for beaver, 804
  Sandhill cranes, 296
  Snowshoe hares by eye lens, 965
Agelaius phoeniceus, see Blackbird, red-winged
Age structure: Contiguous deer herds, 889
Aix sponsa, see Wood duck
Alabama. Decline of gray bats, 1
  Woodcock movement, 414
Alaska. Movements and segregation of caribou, 626
  Lichen intake for caribou, 192
  Resurvey of bald eagles, 219
  Weights of spruce grouse, 176
Alberta. Dispersal, mortality, and recruitment of spruce grouse, 717
  Eye lens weights from snowshoe hares, 965
  Interaction of hares and vegetation, 43
Alberta. Lynx demography during hare decline, 827
  Radio-marking spruce grouse, 316
Alces alces, see Moose
Alison, R. M. (*review of*) Janet Foster. *Working for wildlife: the beginning of preservation in Canada,* 821
Amino acid nitrogen: Serum nitrogen in white-tailed deer, 454
Amend, Spencer, R., *see* Haas, George M., 202
Anas discors, see Teal, blue-winged
  platyrhynchos, see Mallard
Andelt, William F., and Philip S. Gipson. Home range, activity, and movements of coyotes, 944
  and Philip S. Gipson. Domestic turkey losses to radio-tagged coyotes, 673
Anderson, David R., *see* Burnham, Kenneth P., 356, 992
  Jeffrey L. Laake, Bradford R. Crain, and Kenneth P. Burnham. Guidelines for line transect sampling biological populations, 70
  see Michot, Thomas C., 224
Anethesia: Coyotes, 577
Anser caerulescens, see Goose, lesser snow
Anti-hunters: Nonconsumptive uses of deer, 620
Appalachia: Fruit production by summer grape, 579
Ardea herodias, see Heron, great blue
Arizona. Bobcat density and prey, 666
  Collared peccary in sacaton grassland, 813
  Coyote predation on deer fawns, 956
  Mule deer fawn survival, 657
  Reproduction and densities in Montezuma quail, 522
Artmann, Joseph W., *see* Perry, Matthew C., 266
Ash, Andrew N., and James F. Bendell. Trials of nitrogen fertilizer on foods of blue grouse, 503
Attitudes: Farmers and deer management, 236
Austin, Dennis D., *see* Deschamp, Joseph A., 154
Avise, J. C., *see* Ramsey, P. R., 136
Aythya americana, see Duck, redhead
  valisineria, see Duck, canvasback

Badger: Measuring winter activity, 997
Bahnak, B. R., J. C. Holland, L. J. Verme, and J. J. Ozoga. Seasonal and nutritional effects on serum nitrogen constituents in white-tailed deer, 454
Bailey, James A., *see* Rost, Gregory R., 634
Baker, C. B., *see* Kirkpatrick, Jay F., 801
Baker, D. L., *see* Hobbs, N. Thompson, 568
  D. E. Johnson, L. H. Carpenter, O. C. Wallmo, and R. B. Gill. Energy requirements of mule deer fawns in winter, 162
Barkalow, Frederick S., Jr., *see* Robinson, Isaac R., Jr., 516
Bart, Jonathan. Effects of acephate and sevin on forest birds, 544
Bat, gray: Management, 1
Bear, black: Foods and habitat in North Carolina, 143
Beasom, Samuel L. Precision in helicopter censusing of white-tailed deer, 777
  see Pattee, Oliver H., 512
Beaver: Pelt size, weight, and age, 804
Beaver pond: Use by woodpeckers, 263
Behan, Mark J., Thomas B. Kinraide, and Will I. Selser. Lead accumulation in aquatic plants from metallic sources including shot, 240
Behavior: Coyotes attacking fawns, 956
  Habitat partitioning of cervids, 437
  Methylmercury effect on mallards, 394
  Nesting pheasants, 705
  Radio-marking spruce grouse, 316
  Radio packages on turkey hens, 760
  Reproduction of feral hogs, 555
  Responses of wapiti to cold, 564
  Using acoustically sensitive transmitter, 1001
Behavioral thermoregulation: How to measure in badgers, 997
Beck, Thomas D. I., *see* Reed, Dale, F., 272
Bekoff, Marc, ed. *Coyotes. Biology, behavior and management,* (*reviewed*), 278
Bellrose, Frank (*review of*) Paul Johnsgard. *Ducks, geese, and swans of the world,* 1011
Bendell, James F., *see* Ash, Andrew N., 503

Besser, Jerome F. (*review of*) J. Pinowski and S. C. Kendeith, eds. *Granivorous birds in ecosystems*, 818
Bias: Radio triangulation, 926
Births: Twinning in mountain sheep, 974
Bisset, Alan R., *see* Robel, Robert J., 982, 987
Bissonette, John A. (*review of*) George B. Schaller. *Mountain monarchs—wild sheep and goats of the Himalaya*, 277
Bluebird, eastern: Winter foods in Tennessee, 752
Blackbirds: Reducing damage to corn, 184
Blackbird, red-winged: Corn bait of 4-aminopyridine, 743
Methiocarb for repelling, 747
Blood urea nitrogen: Serum nitrogen in white-tailed deer, 454
Bobcat: Density and prey, 666
Bock, Carl E., and Jane H. Bock. Relationship of the collared peccary to sacaton grassland, 813
Bock, Jane H., *see* Bock, Carl E., 813
Bolen, Eric G., *see* Flickinger, Edward L., 531
see McCamant, Richard E., 936
Bonasa umbellus, *see* Grouse, ruffed
Boston, Robert L., *see* Stoll, Robert J., 324
Bragg, Darrel D., *see* Burton, Bruce A., 728
Bramble, William C., and William R. Byrnes. Evaluation of the wildlife habitat values of rights-of-way, 642
Brand, Christopher J., and Lloyd B. Keith. Lynx demography during a snowshoe hare decline in Alberta, 827
Branta canadensis, *see* Goose, Canada
Braun, Clait E., *see* Giesen, Kenneth M., 508
Breeding birds: Effects of highway, 421
Insecticide effects on forest birds, 544
Populations in pine forests, 549
Brenner, Fred J., and James J. Mondok. Waterfowl nesting rafts designed for fluctuating water levels, 979
British Columbia. Detecting pregnancy in bighorn sheep, 970
Nitrogen fertilizer effects on blue grouse foods, 503
Utilization of bulrush rhizomes by lesser snow geese, 728
Broods: Use of cover by pheasant, 334
Brown, David E. Factors influencing reproductive success and population densities in Montezuma quail, 522
Brown, Tommy L., and Daniel J. Decker. Incorporating farmers' attitudes into management of white-tailed deer in New York, 236
Browse: Columbian white-tailed deer, 610
Snowshoe hare utilization during cycle, 43
Buckner, James L., and J. Larry Landers. Fire and disking effects on herbaceous food plants and seed supplies, 807
Bulrush, three-square: Rhizome utilization by lesser snow geese, 728
Burbank, Roland K., Alan Woolf, and George Post. Influence of pH on in vitro digestibility of white-tailed deer foods, 788
Burgason, B. N., *see* Titterington, R. W., 602
Burnham, Kenneth P., and David R. Anderson. The composite dynamic method as evidence for age-specific waterfowl mortality, 356
David R. Anderson, and J. L. Laake. Robust estimation from line transect data, 992
see Anderson, David R., 70
Burton, Bruce A., Robert J. Hudson, and Darrel D. Bragg. Efficiency of utilization of bulrush rhizomes by lesser snow geese, 728
Byrnes, William R., *see* Bramble, William C., 642

California. Anesthesia of coyotes, 577
Density estimation by variable area transect, 484
Human disturbance of bighorn sheep, 909
Cameron, Raymond D., and Kenneth R. Whitten. Seasonal movements and sexual segregation of caribou determined by aerial survey, 626
Canachites canadensis, *see* Grouse, spruce
Canis latrans, *see* Coyote
Canis lupus, *see* Wolf
Capella gallinago, *see* Snipe, common
Capture: Anesthesia of coyotes, 577
Fitting the geometric distribution, 79
Caribou: Lichen intake during winter, 192
Movements and segregation, 626
Carpenter, L. H., *see* Baker, D. L., 162
Cary, John R., *see* Keith, Lloyd B., 965
Casmerodius albus, *see* Egret, great
Castor canadensis, *see* Beaver
Caughley, Graeme, R. G. Sinclair, and G. C. Grigg. Trend of kangaroo populations in New South Wales, Australia, 775
Causey, M. Keith, *see* Horton, George I., 414
Census: Aerial, bald eagles, 61
Deer in deciduous-coniferous forests, 258
Distance method for deer, 969
Effects of helicopter on, 756
Helicopters for deer, 777
Nighttime roadside count of rabbits, 765
Summer colonies of gray bats, 1
Cervus canadensis, *see* Elk
Chad. Bird damage to sorghum and millet, 540
Chappel, Randall, and Robert J. Hudson. Energy cost of standing in rocky mountain bigh rn sheep, 261
Chen caerulescens, *see* Goose, snow
Clam, pismo: Density estimation, 484
Clawson, Richard L., George W. Hartman, and Leigh H. Fredrickson. Dump nesting in a Missouri wood duck population, 347
Clear-cutting: Diets of mule deer, 154
Habitat of snowshoe hares, 680
Songbirds in spruce-fir, 602
Clement, Thomas M., Jr., *see* Robel, Robert J., 982
Cohen, Yosef, *see* Robbins, Charles T., 445
Colinus virginianus, *see* Quail, bobwhite

Colombia. Eared dove food habits, 534
Colonization: Deer mice, 861
Colorado. Aging juvenile white-tailed ptarmigan, 508
Energy requirements of fawns in winter, 162
Lungworm in bighorn sheep, 461
Mule deer defecation rates, 563
Rearing elk calves, 568
Relation of deer and elk to roads, 634
Columba leucocephala, see Pigeon, white-crowned
Committee on Germplasm Resources. *Conservation of germplasm resources—an imperative, (reviewed)*, 282
Conover, Michael R., Joseph G. Franck, and Don E. Miller. Aversive conditioning in coyotes: a reply, 209
Conroy, Michael J., Leslie W. Gysel, and Glenn R. Dudderar. Habitat components of clear-cut areas for snowshoe hares in Michigan, 680
Cornely, John E., Anesthesia of coyotes with ketamine hydrochloride and xylazine, 577
Corrigendum: 827, 1015
Cover: Columbian white-tailed deer, 610
Coyote: Anesthesia of, 577
Aversive conditioning, 208, 209
Detecting rodents in scats, 783
Domestic turkey losses, 673
Food habits, 951
Home range, movements, 944
Predation on fawns, 956
Scats of wolf and coyote, 786
Toxic collars on sheep, 780
Cowan, Robert L., *see* Palmer, William L., 798
Cowardin, Lewis M., and Douglas H. Johnson. Mathematics and mallard management, 18
Crain, Bradford R., *see* Anderson, David R., 70
Cranes, sandhill: Field identification of juveniles, 211
Periosteal layers and age, 269
Crawford, J. S., *see* Titterington, R. W., 602
Crop damage: Bird damage in Chad, 540
Curnow, Richard D., *see* Hoffman, Robert D., 85
Cycles: Lynx demography, hare decline, 827
Cyrtonyx montezumae, see Quail, Montezuma

Da Camara-Smeets, Michele, *see* Manikowski, Stanisław, 540
Dagg, Anne Innis. *Wildlife management in Europe, (reviewed)*, 279
Dane, Charles W., *see* Krapu, Gary L., 384
Dapson, Richard W., Paul R. Ramsey, Michael H. Smith, and David F. Urbston. Demographic differences in contiguous populations of white-tailed deer, 889
Davitt, Bruce B., *see* Robbins, Charles T., 445
Dayton, Arthur D., *see* Robel, Robert J., 982, 987
Decker, Daniel J., *see* Brown, Tommy L., 236
Deer, Columbian white-tailed: Habitat use, 610
Deer, desert mule: survival of fawns, 657
Deer, mule: Coyote predation, 956
Defecation rates, 563
Distribution in relation to roads, 634
Energy requirements of fawns, 162
Fecal pH comparisons, 796
Mortality from fall, 272
Summer diets in Utah, 154
Deer, white-tailed: Antiovulatory drug, 428
Biochemical variation and genetic heterogeneity, 136
Censusing in deciduous coniferous forests, 258
Differences in contiguous populations, 889
Digestibility of winter forages, 650
Digestive capacities, 798
Effects of serum nitrogen, 454
Energy and nitrogen retention, 880
Evaluating habitat on rights-of-way, 642
Farmers and management, 236
Fecal pH comparisons, 796
Habitat relations, 437
Helicopter censusing, 777
Nonconsumptive uses, 620
Nutrition and fetal developments, 791
pH and digestibility, 788
Protein requirements of yearlings, 872
Della-Bianca, Lino. Fruit production by summer grape in the southern Appalachians, 579
Demography: Lynx during hare decline, 827
Dendragapus obscurus, see Grouse, blue
Dendrocygna autumnalis, see Ducks, black-bellied whistling
Density: And reproduction of Montezuma quail, 522
Blue-winged teal nesting, 367
Bobcats in Arizona, 666
Marten in Maine, 850
Waterfowl use of wetlands, 375
Density estimation: Variable area transect, 484
Criteria from line transect data, 992
De Santo, Robert S. *Concepts of applied ecology, (reviewed)*, 819
Deschamp, Joseph A., Phillip J. Urness, and Dennis D. Austin. Summer diets of mule deer from lodgepole pine habitats, 154
Dickson, James G., and Charles A. Segelquist. Breeding bird populations in pine and pine-hardwood forests in Texas, 549
Dicotyles tajacu, see Peccary, collared
Diet: Rearing, training elk calves, 568
Digestibility: Bulrush rhizomes by snow geese, 728
pH and deer foods, 788
Protein requirements of yearling deer, 872
Digestion: Fox squirrels during lactation, 958
Dimmick, Ralph W., *see* Stafford, Steven K., 121
Direct seeding: Predation by deer mice, 861
Distribution: Habitat partitioning of cervids, 437
White-crowned pigeon in Puerto Rico, 402
Dobell, John V., *see* Dwyer, Thomas J., 754
Dolbeer, Richard A., *see* Woronecki, Paul P., 184
Doty, Harold A. Duck nest structure evaluations in prairie wetlands, 976

Dove, eared: Food habits, 534
Dove, mourning: Primary feather molt, 202
Reporting rates for bands, 36
Drobney, Ronald D., and Leigh H. Fredrickson. Food selection by wood ducks in relation to breeding status, 109
Drumming sites: Characteristics, 324
Drugs: Anethesia of coyotes, 577
Antiovulatory drug effects on deer, 428
Drug treatment: Lungworn in bighorn sheep, 461
Duck, black-bellied whistling: Nest box utilization, 936
Canvasback: Sex ratios, 811
Mallard, *see* Mallard
Redhead: Decline in nesting, 224
Ruddy: Ingested shot in oiled birds, 266
Wood, *see* Wood duck
Ducks: Use of nesting structures, 976
Using nest boxes, 936
Dudderar, Glenn R., *see* Conroy, Michael J., 680
Dumke, Robert T., and Charles M. Pils. Renesting and dynamics of nest site selection by Wisconsin pheasants, 705
Dump nests: Nest box use by black-bellied whistling ducks, 936
Wood ducks, 347
Dwyer, Thomas J., Douglas M. Janke, and Gary L. Krapu. Use of prairie pothole habitat by breeding mallards, 526
and John V. Dobell. External determination of age of common snipe, 754

Eagle, bald: Aerial census in Saskatchewan, 61
Perch-site preferences, 221
Resurvey in Alaska, 219
Productivity and nest site selection, 585
Eberhardt, L. L. Line-transects based on right-angle distances, 768
Eccles, T. R., and D. M. Shackleton. Recent records of twinning in North American Mountain sheep, 974
Ecology: Coyotes in Idaho, 951
Editorial: Evolution of your journal, 273
New *Journal* procedures, 583
Egret, great: Mercury and their foods, 85
Elder, James M., *see* Hicks, Lorin L., 909
Elk: Calves, 450 (*see* Corrigendum, 1015), 568
Distribution in relation to roads, 634
Dry-weight of marrow fat, 560
Energy expenditures, 445
Habitat relations, 437
Metabolic responses to cold, 564
Training for food habits studies, 568
Electrophoresis: White-tailed deer, 136
Ellison, Laurence N., and Robert B. Weeden. Seasonal and local weights of Alaskan spruce grouse, 176
Endangered species: Columbian white-tailed deer, 610
Energy: Bobwhite foods, 982, 987
Nutrient cost of lactation in fox squirrels, 958
Protein requirement of yearling deer, 872
Energy balance: Young white-tailed deer, 880
Energy cost: Of standing in bighorn sheep, 261
Energy expenditure: Elk calves, 450 (*see* Corrigendum, 1015)
Energy requirements: Deer fawns in winter, 162
Young white-tailed deer, 880
Erikstad, Kjell Einar. Effects of radio packages on reproductive success of willow grouse, 170
Error arc, polygon: In radio triangulation, 926
Estimating: Pellets per deer defecation, 563
Even-aged: Breeding birds in pine forests, 549
Evenden, Fred G. (*review of*) James A. Ruffner. *Climates of the states,* 821
(*review of*) K. A. Hammond, G. Macinko, and W. B. Fairchild, eds. *Sourcebook on the environment—a guide to the literature,* 820
Eye lens: Weights of snowshoe hares, 965

Fafarman, Keith R., and Richard J. Whyte. Factors influencing nighttime roadside counts of cottontail rabbits, 765
Fattening: Energy and nitrogen retention in young white-tailed deer, 880
Fawns: Energy and nitrogen retention, 880
Fecal analysis: Herbivores, 468
New technique for studying plant cuticles, 916
Feeding: Lesser snow geese in James Bay, 736
Measuring by telemetry, 1001
Feeding trials: Winter feeding, captive showshoes, 43
Femur marrow fat: Estimating in elk, 560
Ferris, Craig R. Effects of Interstate 95 on breeding birds in northern Maine, 421
Fertilizer: Nitrogen effects on foods of blue grouse, 503
Fire: Fruit yields of woody plants, 1007
Habitat partitioning of cervids, 437
Fisher, Alan R. Ambiguities in distance method for censusing deer by pellet groups, 969
Fitzgerald, Alice E., and D. C. Waddington. Comparison of two methods of fecal analysis of herbivore diet, 468
Flake, Lester D., *see* Ruwaldt, James J., Jr., 375
Flickinger, Edward L. Effects of aldrin exposure on snow geese in Texas rice fields, 94
and Eric G. Bolen. Weights of lesser snow geese taken on their winter range, 531
Florida. Bald eagle productivity, nest selection, 585
Effects of helicopter censuses on birds, 756
Manatee mortality, 572
Floyd, Theodore J., L. David Mech, and Michael E. Nelson. An improved method of censusing deer in deciduous-coniferous forests, 258
Flyger, Vagn (*review of*) Committee on Germplasm Resources. *Conservation of germplasm resources—an imperative,* 282

(*review of*) Wm. H. Nesbitt and Jack S. Parker. *North American big game*, 282
(*review of*) Robert L. Phillips and Charles Jonkel, eds. *Proceedings of the 1975 predator symposium*, 282
Food habits: Bears in North Carolina, 143
Bobcats in Arizona, 666
Bobwhites, 516, 987
Coyotes in Idaho, 951
Detecting rodents in coyote scats, 783
Eared dove, 534
Eastern bluebirds in winter, 752
Fall foods of migrant common snipe, 253
Fox squirrel, 691
Lesser snow geese in James Bay, 736
Lichen for reindeer and caribou during winter, 192
Lynx during hare decline, 827
Marten in Maine, 850
Mule deer in Utah, 154
Rearing and training elk calves, 568
Ruffed grouse, 121
Studying plant cuticles from rumen and feces, 916
Wood ducks, 109
Forage: African ungulates and seasonal rainfall, 899
Forest management: Fire and disking effects on plants and seeds, 807
Foster, Janet. *Working for wildlife: the beginning of preservation in Canada*, (*reviewed*), 821
Francik, Joseph G., *see* Conover, Michael R., 209
Freedy, David J., *see* Strong, Laurence L., 563
Fredrickson, Leigh H., *see* Clawson, Richard L., 347
see Drobney, Ronald D., 109
Fritts, Steven H., *see* Weaver, John L., 786
Fritzell, Erik K., George A. Swanson, and Mavis I. Meyer. Fall foods of migrant common snipe in North Dakota, 253
Frost: Effects on acorn production, 239
Fruit production: Summer grape, 579
Following fire, 1007
Furrer, Robert K. Experiences with a new back-tag for open-nesting passerines, 245

Ganjam, V. K., *see* Kirkpatrick, Jay F., 801
Garrison, Melvyn V., Donald F. Mott, Mary R. Ouellette, and Gilbert Holquin. A tableted corn bait to deliver uniform dosage of 4-aminopyridine to red-winged blackbirds, 743
Gates, C. Cormack, and Robert J. Hudson. Effects of posture and activity on metabolic responses of wapiti to cold, 564
Gazelle, Thomson's: Forage shifts in response to seasonal rain, 899
Goose, Canada: Migration and winter roost sites, 228
Goose, snow: Effects of aldrin, 94
Fall foods in James Bay region, 736
Utilization of bulrush rhizomes, 728
Weights taken on winter range, 531
Georgia. Fire and disking effects on herbaceous plants and seeds, 807
Use of beaver ponds by woodpeckers, 262
Gerrard, Jon M., *see* Leighton, Frederick A., 61
Gerrard, Peter, *see* Leighton, Frederick A., 61
Giesen, Kenneth M., and Clait E. Braun. A technique for age determination of juvenile white-tailed ptarmigan, 508
Giles, Robert M., Jr. *Wildlife management*, (*reviewed*), 1013
Gill, R. B., *see* D. L. Baker, 162
Gipson, Philip S., *see* Andelt, William F., 673, 944
Grape: Production by summer grapes, 579
Granivores: Fire and disking on plants and seeds, 807
Greager, D. C., C. A. Jenness, and G. D. Ward. An acoustically sensitive transmitter for telemetering the activities of wild animals, 1001
Grigg, G. C., *see* Caughley, Graeme, 775
Grouse, blue: Nitrogen fertilizer effect on foods, 503
ruffed: Autumn and winter foods, 121
Drumming sites, 324
spruce: Dispersal, mortality, and recruitment, 717
Effects of radio-marking on behavior, movements, and survival, 316
Seasonal and local weights, 176
willow: Effects of radio packages on reproduction, 170
Growth: Yearling white-tailed deer, 880
Grus canadensis, see Crane, sandhill
Gustavson, Carl R. An experimental evaluation of aversive conditioning for controlling coyote predation: a critique, 208
Gysel, Leslie W., *see* Conroy, Michael J., 680

Haas, George H., and Spencer R. Amend. Primary feather molt of adult mourning doves in North and South Carolina, 202
Habitat: African ungulates in response to rainfall, 899
Black bears in North Carolina, 143
Blue-winged teal nesting, 367
Marten in Maine, 850
Snowshoe hares in Michigan, 680
Habitat partitioning: Cervids, 437
Habitat use: Columbian white-tailed deer, 610
Wood ducks in autumn, 102
Woodcock movements, 414

Haliaeetus leucocephalus, *see* Eagle, bald
Halls, Lowell K., *see* Stransky, John J., 1007
Hamilton, Robert J., *see* Landers, J. Larry, 143
Hammond, K. A., G. Macinko, and W. B. Fairchild. *Sourcebook on the environment—a guide to the literature*, (*reviewed*), 820
Hansen, Richard M., *see* Johnson, Mark K., 951
Harder, John D. (*review of*) Robert H. Giles, Jr. *Wildlife management*, 1013
Hares, snowshoe: Eye lens weights, 965
In clear-cut areas, 680
Interaction with woody vegetation, 43
Lynx demography during hare decline, 827
Harlow, Henry J. A photocell monitor to measure winter activity of confined badgers, 997
Hartman, George W., *see* Clawson, Richard L., 347
Harvest: Bobwhite population responses, 285
White-crowned pigeon in Puerto Rico, 402
Harvest rates: Analyzing age-specific waterfowl mortality, 356
Havera, Stephen P. Energy and nutrient cost of lactation in fox squirrels, 958
Temperature variation in a fox squirrel nest box, 251
and Kenneth E. Smith. A nutritional comparison of selected fox squirrel foods, 691
Hayes, H. H., *see* Holter, J. B., 872, 880
Hazing: Canada geese, 229
Healy, William M., *see* Nenno, Edward S., 760
Heinz, Gary H. Methylmercury: reproductive and behavioral effects on three generations of mallard ducks, 394
Hendee, John C., *see* Schoenfeld, Clarence A., 281
Heron, black-crowned night: Mercury in their foods, 85
great blue: Mercury in their foods, 85
Herzog, P. W. Effects of radio-marking on behavior, movements, and survival of spruce grouse, 316
Hibler, Charles P., *see* Schmidt, Robert L., 461
Hicks, Lorin L., and James M. Elder. Human disturbance of Sierra Nevada bighorn sheep, 909
Highways: Deer fall from highway cliffs, 272
Effects on breeding birds, 421
Hirth, David H., *see* McEwan, Linda C., 585
Hobbs, N. Thompson, and D. L. Baker. Rearing and training elk calves for use in food habits studies, 568
Hodges, John I., James G. King, and Fred C. Robards. Resurvey of the bald eagle breeding population in southeast Alaska, 219
Hoffman, Robert D., and Richard D. Curnow. Mercury in herons, egrets, and their foods, 85
Hoffman, Stephen W., *see* Weaver, John L., 783
Hog, feral: Reproductive biology, 555
Holland, J. C., *see* Bahnak, B. R., 454
Holleman, D. F., J. R. Luick, and R. G. White. Lichen intake estimates for reindeer and caribou during winter, 192
Holter, J. B., H. H. Hayes, and S. H. Smith. Protein requirement of yearling white-tailed deer, 872
W. E. Urban, Jr., and H. H. Hayes. Predicting energy and nitrogen retention in young white-tailed deer, 880
Holquin, Gilbert, *see* Garrison, Melvyn V., 743
Home range: Bias and error in radio triangulation, 926
Coyotes, 944
Mallards, breeding, 526
Honchul, G. P., *see* Stoll, Robert J., 324
Horton, George I., and M. Keith Causey. Woodcock movements and habitat utilization in central Alabama, 414
Horwath, Jeffrey L., (*review of*) Marc Bekoff, ed. *Coyotes. Biology, behavior, and management*, 278
Hudson, Robert J., *see* Burton, Bruce A., 728
see Chappel, Randall W., 261
see Gates, C. Cormack, 564
Human disturbance: Distribution of mule deer and elk, 634
Gray bats, 1
Helicopters on bird colonies, 756
On nesting ospreys in Yellowstone, 595
Sierra Nevada bighorn sheep, 909
Hunt, Hugh M. Comparison of dry-weight methods for estimating elk femur marrow fat, 560
Hunter characteristics: Nonconsumptive uses of Michigan deer, 620
Hunting: Regulations on wild turkeys, 128

Idaho. Coyote food habits, 951
Fecal pH comparisons of ungulates, 796
Illinois. Bobwhites in deteriorating habitat, 306
Bobwhite responses to exploitation, 285
Cover use by pheasant broods, 334
Movements and habitat use by wood ducks, 102
Nutrition of fox squirrels, 691
Impala: Forage shifts in response to seasonal rain, 899
Ingram, Charles R., *see* Woronecki, Paul P., 184
Insecticide: Effects of insecticides on forest birds, 544
Immobilization: Anesthesia of coyotes, 577

Iowa. Blue-winged teal nesting, 367
Ironside, G. R., *see* Wiken, E. B., 1013

Jackson, William B. (*review of*) Robert S. De Santo. *Concepts of applied ecology*, 819
James Bay. Fall foods of snow geese, 736
Janke, Douglas M., *see* Dwyer, Thomas J., 526
Jenness, C. A., *see* Graeger, D. C., 1001
Johnsgard, Paul A. *Ducks, geese, and swans of the world*, (*reviewed*), 1011
Johnson, A. Sydney, *see* Landers, J. Larry, 143
Johnson, D. E., *see* Baken, D. L., 162
Johnson, Douglas H., *see* Cowardin, Lewis M., 18
see Krapu, Gary L., 384
Johnson, Mark K., and Richard M. Hansen. Coyote food habits on the Idaho National Engineering Laboratory, 951
Jones, James H., and Norman S. Smith. Bobcat density and prey selection in central Arizona, 666
Jonkel, Charles, *see* Phillips, Robert L., 282

Kangaroos: Populations in New South Wales, 775
Kansas. Comparative energetics of bobwhite, 987
Energy of bobwhite foods, 982
Keay, Jeffrey A., *see* Peek, James M., 796
Keith, Lloyd B., and John R. Cary. Eye lens weights from free-living adult snowshoe hares of known age, 965
see Brand, Christopher J., 827
see Pease, James L., 43
Kennedy, David D., *see* Parr, Delbert E., 102
Kenney, R. M., *see* Kirkpatrick, Jay F., 801
Kentucky. Antiovulatory drug effects on deer, 428
Keppie, Daniel M. Dispersal, overwinter mortality, and recruitment of spruce grouse, 717
Kenya. Shifts in ungulates in response to seasonal rain, 899
Kincaid, Kenneth R., *see* Reed, Dale F., 272
King, James G., *see* Hodges, John I., 219
Kinraide, Thomas B., *see* Behan, Mark J., 240
Kirkpatrick, Jay F., C. B. Baker, J. W. Turner, Jr., R. M. Kenney, and V. K. Ganjam. Plasma corticosteroids as an index of stress in captive feral horses, 801
Klimstra, W. D., *see* Roseberry, John L., 306
Kobus defassa, *see* Waterbuck, defassa
Koeppl, J. W. A simple device for determining degree and aspect of slope, 250
Krapu, Gary L., Douglas H. Johnson, and Charles W. Dane. Age determination of mallards, 384
see Dwyer, Thomas J., 526
Kushlan, James A. Effects of helicopter censuses on wading bird colonies, 756
Kutilek, Michael J. Forage habitat relations of nonmigratory African ungulates in response to seasonal rainfall, 899

Laake, Jeffrey L., *see* Anderson, David R., 70
see Burnham, Kenneth P., 992
Lactation: Nutrient cost in fox squirrels, 958
Serum nitrogen in white-tailed deer, 454
Lagopus lagopus, *see* Grouse, willow
Lagopus leucurus, *see* Ptarmigan, white-tailed
Landers, J. Larry, Robert J. Hamilton, A. Sydney Johnson, and R. Larry Marchinton. Foods and habitat of black bears in southeastern North Carolina, 143
see Buckner, James L., 807
Land use: Planning agricultural and wildlife, 493
Langenau, E. E., Jr. Nonconsumptive uses of the Michigan deer herd, 620
Lead: In aquatic plants, 240
In oiled ruddy ducks, 266
LeCount, Albert, *see* Smith, Ronald H., 657
Leedy, Daniel L. (*review of*) UNESCO. *The man-made landscape*, 1013
(*review of*) E. B. Wiken and G. R. Ironside, eds. *Ecological (biophysical) land classification in urban areas*, 1012
Leighton, Frederick A., Jon M. Gerrard, Peter Gerrard, Douglas W. A. Whitfield, and William J. Maher. An aerial census of bald eagles in Saskatchewan, 61
Leighton, Frederick A., *see* Wobeser, Gary A., 571
Lepus americanus, *see* Hare, snowshoe
Lewis, James C. Field identification of juvenile sandhill cranes, 211
Periosteal layers do not indicate ages of sandhill cranes, 269
(*review of*) Stanley A. Temple, ed. *Endangered birds: management techniques for preserving threatened species*, 1011
Life tables: Analyzing age-specific waterfowl mortality, 356
Line transects: Robust estimation, 992
Lithium chloride: Reducing coyote predation, 208, 209
Live trap: Ground squirrels, 571
Marten in Maine, 850
Lochmiller, Robert L. Use of beaver ponds by southeastern woodpeckers in winter, 263
Lovvorn, James R. (*review of*) Anne Innis Dagg. *Wildlife management in Europe*, 279
Low, Jessop B., *see* Michot, Thomas C., 224
Luick, J. R., *see* Holleman, D. F., 192
Lungworm: Treatment in bighorn sheep, 461
Lynx: Demography during hare decline, 827
Lynx canadensis, *see* Lynx
Lynx rufus, *see* Bobcat

Macropus fuliginosus, *see* Kangaroo
Macropus giganteus, *see* Kangaroo
Maher, William J., *see* Leighton, Frederick A., 61
Maine. Effects of interstate on birds, 421
Songbird responses to clear-cutting, 602
Timber harvesting effects on marten, 850
Maintenance: Yearling white-tailed deer, 880

Mallard: Age determination, 384
Effects of methylmercury, 394
Mathematics and management, 18
Use of pothole habitats, 526
Management: Columbian white-tailed deer, 610
Lynx during hare decline, 827
Manatee, West Indian: Mortality observations, 572
Manikowski, Stanisław, and Michele Da Camara-Smeets. Estimating bird damage to sorghum and millet in Chad, 540
Marchinton, R. Larry, *see* Landers, J. Larry, 143
Marking: Back-tag for passerines, 245
Marshall, Ian F., *see* Prevett, J. Paul, 736
Marshall, Kim, *see* Romesburg, H. Charles, 79
Marten: Effects of timber harvesting, 850
Martes a. americana, see Marten
Maryland. Canvasback sex ratios, 811
McEwan, Linda C., and David H. Hirth. Southern bald eagle productivity and nest site selection, 585
McCamant, Richard E., and Eric G. Bolen. A 12-year study of nest box utilization by black-bellied whistling ducks, 936
McClain, Milford W., *see* Stoll, Robert J., 324
McCullough, Yvette. Carbohydrate and urea influences on in vitro deer forage digestibility, 650
Mech, L. David, *see* Floyd, Theodore J., 258
Megaleia rufa, see Kangaroo
Meleagrus gallopavo, see Turkey, wild
Mercury: In herons, egrets, 85
Metabolism: Protein requirements, yearling deer, 872
Metabolizable energy: Bobwhite foods, 982, 987
Bulrush rhizomes by lesser snow geese, 728
Methiocarb: For repelling blackbirds, 747
Meyer, Mavis I., *see* Fritzell, Erik, 253
Mice, deer: Repopulation of clear-cut habitat and conifer seed predation, 861
Michigan: Nonconsumptive uses of deer, 620
Serum nitrogen in white-tailed deer, 454
Nutrition, fetal development in deer, 791
Snowshoe hare habitat in clear-cuts, 680
Michot, Thomas C., Jessop B. Low, and David R. Anderson. Decline of redhead duck nesting on Knudson Marsh, Utah, 224
Miller, Don E., *see* Conover, Michael R., 209
Minerals: Nutrient cost of lactation in fox squirrels, 958
Minnesota. Mathematics and mallard management, 18
Migration and winter roost sites by Canada geese, 228
Missouri. Dump nesting in wood ducks, 347
Food selection by wood ducks, 109
Modeling: Bobwhite population responses, 285
Planning agricultural and wildlife land use, 493
Population related to survival and recruitment, mallards, 18
Monitor: Winter activity of badgers, 997
Moose: Habitat relations, 437
Mondok, James J., *see* Brenner, F. J., 979
Montana. Habitat partitioning of cervids, 437
Morgan, Kenneth L., *see* Robel, Robert J., 982, 987
Mortality: Aldrin and snow geese, 94
Analyzing waterfowl mortality, 356
Bobwhite population responses, 285
Bobwhite population in deteriorating habitat, 306
Contiguous white-tailed deer herds, 889
Ducks using nesting structures, 976
In spruce grouse, 717
Lungworm in bighorn sheep, 461
Malnourished captive hares, 43
Manatee, 572
Mule deer from highway cliffs, 272
Nest boxes used by black-bellied whistling ducks, 936
Radio-marked spruce grouse, 316
Mosby, Henry S., *see* Weaver, Janna K., 128
Mott, Donald F., *see* Garrison, Melvyn V., 743
Moulton, Daniel W. Evaluation of methiocarb for repelling blackbirds from cultivated wild rice, 747
Mountain sheep: Twinning, 974
Movement: Cover for pheasant broods, 334
Coyotes, 944
Deer and elk in relation to roads, 634
Habitat partitioning of cervids, 437
Marten in Maine, 850
Radio-marked spruce grouse, 316
Renesting pheasants, 705
Responses of wapiti to cold, 564
Seasonal, of caribou, 626
Spruce grouse, 717
White-crowned pigeon in Puerto Rico, 402
Wood ducks in autumn, 102
Woodcock, 414
Multiple births: In North American mountain sheep, 974
Myotis grisescens, see Bat, gray

Natality: Contiguous deer herds, 889
Nebraska. Coyote home range and movements, 944
Domestic turkey losses to coyotes, 673
Nelson, Michael E., *see* Floyd, Theodore J., 258
Nenno, Edward S., and William M. Healy. Effects of radio packages on behavior of wild turkey hens, 760
Nest boxes: Dump nests of wood ducks, 347
Temperature in fox squirrel box, 251
Utilization by black-bellied whistling ducks, 936
Nest structures: Use in prairie wetlands, 976
Nesbitt, W. H., and Jack S. Parker. *North American big game, (reviewed)*, 282
Nesting: Blue-winged teal, 367
Consumption of pesticides by pheasants, 214
Decline in redhead duck, 224
Dump nesting by wood ducks, 347
Ospreys in Yellowstone, 595

Pheasants in Wisconsin, 705
Site selection by bald eagles, 585
Supplemental feed to increase turkeys, 512
Nesting structure: Rafts for waterfowl, 979
Newfoundland. Pelt size, weight, and age for beaver, 804
New Jersey. Acorn yields after frost, 239
Newman, James R., *see* Stalmaster, Mark V., 221
New South Wales. Kangaroo populations, 775
New York. Insecticide effects on forest birds, 544
Deer management, 236
Nitrogen balance: Energy in yearling deer, 880
Nitrogen: Protein requirement of yearling deer, 872
North Carolina. Foods and habitat of black bear, 143
Molt of mourning doves, 202
Quail foods in a pine habitat, 516
North Dakota. Aging mallards, 384
Foods of common snipe, 253
Mathematics and mallard management, 18
Prairie potholes for mallards, 526
Northern white-cedar: Serum nitrogen in deer, 454
Norway. Radio-package effects on willow grouse reproduction, 170
Nutrition: Carbohydrate and urea on digestibility, deer, 650
Deer and sheep digestive capacities, 798
Fetal organ development in deer, 791
Fox squirrel foods, 691
Serum nitrogen in deer, 454
Nycticorax nycticorax, see Heron, black-crowned night

Oak, bear: Yields after spring frost, 239
Odell, Daniel K., and John E. Reynolds. Observations on manatee mortality in south Florida, 575
Odocoileus hemionus, see Deer, mule
Odocoileus hemionus crooki, see Deer, desert mule
Odocoileus virginianus, see Deer, white-tailed
Ogilvie, M. A. *Wild geese, (reviewed)*, 819
Ohio. Reducing blackbird damage, 184
Ruffed grouse drumming sites, 324
Ontario. Fall foods of snow geese, 736
Opossum: Monitor by acoustically sensitive transmitter, 1001
Opossum, brush-tailed: Fecal analysis of herbivore diet, 468
Oregon. Habitat use of Columbian white-tailed deer, 610
Orr, Robert T. *The little known pika, (reviewed)*, 281
Osprey: Status and reproduction in Yellowstone National Park, 595
Ouellette, Mary R., *see* Garrison, Melvyn V., 743
Ovis canadensis california, see Sheep, California bighorn
Canadensis, see Sheep, bighorn
Oxyura jamaicensis, see Duck, ruddy
Ozoga, J. J., *see* Bahnak, B. R., 454

Packed cell volume: Serum nitrogen in white-tailed deer, 454
Palmer, William L., and Robert L. Cowan. Comparison of deer and sheep digestive capacities, 798
Pandion haliaetus, see Osprey
Parker, Jack S., *see* Nesbitt, William H., 282
Parker, Keith R. Density estimation by variable area transect, 484
Parr, Delbert E., M. Douglas Scott, and David D. Kennedy. Autumn movement and habitat use by wood ducks in southern Illinois, 102
Passage rate: Bulrush rhizomes by snow geese, 728
Pattee, Oliver H., and Samuel L. Beasom. Supplemental feeding to increase wild turkey productivity, 512
Payne, Neil F. Relationship of pelt size, weight, and age for beaver, 804
Pease, James L., Richard H. Vowles, and Lloyd B. Keith. Interaction of showshoe hares and woody vegetation, 43
Peek, James M., and Jeffrey A. Keay. Fecal pH comparisons among three species of ungulates in Idaho, 796
Peccary, collared: Relationship to sacaton grassland, 813
Pellet groups: Distance method for censusing deer, 969
Pellets: Number per mule deer defecation, 563
Pemberton, J. R., *see* Seber, G. A. F., 916
Pennsylvania. Deer and sheep digestive capacities, 798
Evaluating habitat values of rights-of-way, 642
Perch sites: Wintering bald eagles, 221
Peromyscus maniculatus, see Mice, deer
Perry, Matthew C., and Joseph W. Artmann. Incidence of embedded and ingested shot in oiled ruddy ducks, 266
Peterjohn, Bruce G., *see* Roseberry, John L., 306
Phasianus colchicus, see Pheasant
Pheasant: Food habits and pesticides, 214
Renesting and nest site selection, 705
Use of cover by broods, 334
Phillips, Robert L., and Charles Jonkel, eds. *Proceedings of the 1975 predator symposium, (reviewed)*, 282
Philohela minor, see Woodcock, American
Photocell: Monitor winter activity of badgers, 997
Pigeon, white-crowned: Status, distribution, and movements in Puerto Rico, 402
Pils, Charles M., *see* Dumke, Robert T., 705
Pinowski, J., and S. C. Kendeigh, eds. *Granivorous birds in ecosystems, (reviewed)*, 818
Pitts, T. David. Foods of eastern bluebirds during exceptionally cold weather in Tennessee, 752
Planning: Agricultural and wildlife land use, 493
Poison: Baiting for deer mice, 861
4-aminopyridine reducing blackbird damage, 184
Tableted corn bait to deliver 4-aminopyridine, 743

Pollutants: Aldrin in snow geese, 94
Consuming seed treatment pesticides, 214
Ingested shot in oiled ruddy ducks, 266
Lead in aquatic plants, 240
Mercury in herons, egrets, and their foods, 85
Methylmercury on mallards, 394
Ponds: Waterfowl use of wetlands, 375
Population: Breeding birds in pines, 549
Population dynamics: Bobwhite population responses, 285
Bobwhites in deteriorating habitat, 306
Blue-winged teal nesting, 367
Kangaroos in Australia, 775
Lynx during hare decline, 827
Reproduction and density of Montezuma quail, 522
Resurvey of bald eagles in Alaska, 219
Spruce grouse in Alberta, 717
Supplemental feed to increase wild turkeys, 512
White-crowned pigeon in Puerto Rico, 402
Population estimation: Helicopter census of deer, 777
Line-transects based on right-angle distances, 768
Population size: Simulation of learned trap response, 474
Populations: Highway effects on breeding birds, 421
Post, George, *see* Burbank, Roland K., 788
Potholes: Evaluating nesting structures for ducks, 976
Use by breeding mallards, 526
Poultry: Losses to coyotes, 673
Powers, Joseph E. Planning for an optimal mix of agriculture and wildlife land use, 493
Predation: Coyotes on mule deer fawns, 956
Domestic turkey losses to coyotes, 673
In nesting structures for ducks, 976
Pheasants in Wisconsin, 705
Toxic collars on sheep, 780
Predators: Affecting deer fawn survival, 657
Identifying coyote and wolf scats, 786
Preference: Columbian white-tailed deer, 610
Pregnancy: Detection in living bighorn sheep, 970
Prescribed burning: Effects on plants and seeds, 807
Fruit yields, 1007
Prevett, J. Paul, Ian F. Marshall, and Vernon G. Thomas. Fall foods of lesser snow geese in the James Bay region, 736
Productivity: In bald eagles, 585
Ospreys in Yellowstone, 595
Supplemental feeding to increase wild turkeys, 512
Progestin: Detect pregnancy in bighorn sheep, 970
Protein requirements: Yearling white-tailed deer, 872
Provost, Ernest E., *see* Sweeney, James M., 555
Ptarmigan, white-tailed: Age determination, 508
Public attitudes: Nonconsumptive uses of deer, 620
Puerto Rico. White-crowned pigeon, 402

Quail, bobwhite: Energetics of foods, 987
Foods in a pine habitat, 516
Metabolizable energy of foods, 982
Population responses to exploitation, 285
Population in deteriorating habitat, 306
Quail, Montezuma: Reproductive success and densities, 522
Quercus ilicifolia, see Oak, bear

Rabbit, cottontail: Nighttime roadside counts, 765
Radiotelemetry: Bias and error, 926
Packages on wild turkey hens, 760
Reproduction of willow grouse, 170
Rainfall: Mule deer fawn survival, 657
Foraging of African ungulates, 899
Ramakka, James M., and Vicky F. Ramakka. Eared dove food habits in southwestern Colombia, 534
Ramakka, Vicky F., *see* Ramakka, James M., 534
Ramsey, M. A., and R. M. F. S. Sadleir. Detection of pregnancy in living bighorn sheep by progestin determination, 970
Ramsey, P. R., J. C. Avise, M. H. Smith, and D. F. Urbston. Biochemical variation and genetic heterogeneity in South Carolina deer populations, 136
Ramsey, Paul R., *see* Dapson, Richard W., 889
Range: Study of woodcock movements, 414
White-crowned pigeon in Puerto Rico, 402
Range length: Marten in Maine, 850
Rangifer tarandus, see Reindeer, caribou
Raveling, Dennis G. Traditional use of migration and winter roost sites by Canada geese, 229
Recovery rates: Mourning dove bands, 36
Recreational demand: Nonconsumptive uses of deer, 620
Recreationists: And Sierra Nevada bighorn sheep, 909
Recruitment: Spruce grouse in Alberta, 717
Redunca redunca, see Reedbuck, bohor
Reed, Dale F., Kenneth R. Kincaid, and Thomas D. I. Beck. Migratory mule deer fall from highway, 272
Reedbuck, bohor: Forage shifts and seasonal rain, 899
Reeves, Henry M. Estimates of reporting rates of mourning dove bands, 36
Reforestation: And deer mice, 861
Reindeer: Lichen intake during winter, 192
Renesting: Pheasants in Wisconsin, 705
Repellent: Methiocarb for blackbirds, 747
Reproduction: Antiovulatory drug on deer
Feral hog population, 555
In nest boxes by black-bellied whistling ducks, 936
In nesting structures for ducks, 976
Reproductive success: And density of Montezuma quail, 522
Reynolds, John E., *see* Odell, Daniel K., 572
Rice, wild: Methiocarb for repelling blackbirds, 747

Rights-of-way: Evaluating habitat values, 642
Robel, Robert J., Alan R. Bisset, Arthur D. Dayton, and Kenneth E. Kemp. Comparative energetics of bobwhites on six different foods, 987
Alan R. Bisset, Thomas M. Clement, Jr., Arthur D. Dayton, and Kenneth L. Morgan. Metabolizable energy of important foods of bobwhites in Kansas, 982
Robards, Fred C., *see* Hodges, John I., 219
Robbins, Charles T., Yosef Cohen, and Bruce B. Davitt. Energy expenditures by elk calves, 445
Robinson, Isaac R., Jr., and Frederick S. Barkalow, Jr. Bobwhite quail foods in pocosin habitat converted to pine, 516
Rodentia: Seed predation by deer mice, 861
Roosts: Wood ducks, 102
Romesburg, H. Charles, and Kim Marshall. Fitting the geometric distribution to capture frequency data, 79
Rose, Robert K. (*review of*) Dana P. Snyder, ed. *Populations of small mammals under natural conditions*, 817
Roseberry, John L. Bobwhite population responses to exploitation: real and simulated, 285
Bruce G. Peterjohn, and W. D. Klimstra. Dynamics of an unexploited bobwhite population in deteriorating habitat, 306
Rost, Gregory R., and James A. Bailey. Distribution of mule deer and elk in relation to roads, 634
Roughton, Robert D. Effects of oral melengestrol acetate on reproduction in captive white-tailed deer, 428
Ruffner, James A. *Climates of the states*, (*reviewed*), 821
Rumen: Analysis, 916
Influence of pH on digestibility of deer foods, 788
Rutherford, William H., *see* Schmidt, Robert L., 461
Ruwaldt, James J., Jr., and Lester D. Flake. Waterfowl pair use of natural and man-made wetlands in South Dakota, 375

Sadleir, R.M.F.S., *see* Ramsey, M.A., 970
Sampling: Robust estimation from line transect, 992
Sampling error: Bias in radio triangulation, 926
Saskatchewan. Aerial census of bald eagles, 61
Dry weight of elk marrow fat, 560
Savarie, Peter J., and Ray T. Sterner. Evaluation of toxic collars for selective control of coyotes that attack sheep, 780
Scats: Food habits of coyotes, 951
Schaller, George B. *Mountain monarchs—wild sheep and goats of the Himalaya*, (*reviewed*), 277
Schmidt, Robert L., Charles P. Hibler, Terry R. Spraker, and William H. Rutherford. An evaluation of drug treatment for lungworm in bighorn sheep, 461
Schoenfeld, Clarence A., and John C. Hendee. *Wildlife management in wilderness*, (*reviewed*), 281
Schultz, Vincent (*review of*) Francesco M. Scudo and James R. Ziegler. *The golden age of theoretical ecology: 1923–1940*, 1012
Scirpus americanus, *see* Bulrush, three-square
Sciurus niger, *see* Squirrel, fox
Scott, M. Douglas, *see* Parr, Delbert E., 102
Scudo, Francesco M., and James R. Ziegler. *The golden age of theoretical ecology: 1923–1940*, (*reviewed*), 1012
Seasonal: Serum nitrogen in deer, 454
Seasonal variability: In activity of coyotes, 944
Seber, G. A. F., and J. R. Pemberton. The line intercept method for studying plant cuticles from rumen and fecal samples, 916
Seed production: Predation by deer mice, 861
Segelquist, Charles A., *see* Dickson, James G., 549
Selser, Will I., *see* Behan, Mark J., 240
Sex ratios: Canvasbacks on Chesapeake Bay, 811
In contiguous deer herds, 889
Shackleton, D. M., *see* Eccles, T. R., 974
Sheep, bighorn: Detecting pregnancy, 970
Energy cost of standing, 261
Fecal pH comparisons, 796
Human disturbance, 909
Records of twinning, 974
Treatment for lungworm, 461
Sierra Nevada Mountains: Human disturbance of bighorns, 909
Simulation methods: Fitting geometric distribution to capture frequency data, 79
Simulation of learned trap response, 474
Singer, Francis J. Habitat partitioning and wildfire relationships of cervids in Glacier National Park, Montana, 437
Sinclair, R. G., *see* Caughley, Graeme, 775
Sialia sialis, *see* Bluebird, eastern
Sladen, William J. L., *see* Welling, Charles H., 811
Slope: Determination, 250
Smith, Kenneth E., *see* Havera, Stephen P., 691
Smith, Michael H., *see* Dapson, Richard W., 889
see Ramsey, P. R., 136
Smith, Norman S, *see* Jones, James H., 666
Smith, Ronald H., and Albert LeCount. Some factors affecting survival of desert mule deer fawns, 657
Smith, H., *see* Holter, J. B., 872
Snipe, common: Age determination, 754
Fall food habits, 253
Snyder, Dana P., ed. *Populations of small mammals under natural conditions*, (*reviewed*), 817
South Carolina. Differences in contiguous deer populations, 889
Feral hog reproduction, 555
Genetic heterogeneity in deer, 136
Molt of mourning doves, 202
Southwick, Charles H. (*review of*) Robert T. Orr. *The little known pika*, 281
South Dakota. Waterfowl use of wetlands, 375

Soutiere, Edward C. Effects of timber harvesting on marten in Maine, 850
Spermophilus richardsoni, see Squirrel, ground
Spraker, Terry R., *see* Schmidt, Robert L., 461
Springer, Joseph Tucker. Some sources of bias and sampling error in radio triangulation, 926
Spruce-Fir: Songbird responses to clear-cutting, 602
Spurr, Stephen H. (*review of*) Clarence A. Schoenfeld and John C. Hendee. *Wildlife management in wilderness*, 281
Squirrel, fox: Energy cost of lactation, 958
Nutritional comparison of foods, 691
Temperature variation in a nest box, 251
Squirrel, ground: Live traps, 571
Stafford, Steven K., and Ralph W. Dimmick. Autumn and winter foods of ruffed grouse in the southern Appalachians, 121
Stalmaster, Mark V., and James R. Newman. Perch-site preferences of wintering bald eagles in northwest Washington, 221
Status: Ospreys in Yellowstone, 595
Sterner, Ray T., *see* Savarie, Peter J., 780
Stickley, Allen R., *see* Woronecki, Paul P., 184
Stoll, Robert J., Milford W. McClain, Robert L. Boston, and G. P. Honchul. Ruffed grouse drumming site characteristics in Ohio, 324
Stomach analysis: Black bears in North Carolina, 143
Fall foods of common snipe, 253
Stotts, Vernon D. (*review of*) M. A. Ogilvie. *Wild geese*, 819
Stransky, John J., and Lowell K. Halls. Effect of a winter fire on fruit yields of woody plants, 1007
Stress: Plasma corticosteroids as index in feral horses, 801
Stromberg, K. L. Pheasant food habits in spring and consumption of seed treatment pesticides, 214
Strong, Laurence L., and David J. Freddy. Number of pellets per mule deer defecation, 563
Sullivan, Thomas P. Repopulation of clear-cut habitat and conifer seed predation by deer mice, 861
Supplemental feeding: Rumen pH and digestibility, 788
To increase turkey productivity, 512
Suring, Lowell H., and Paul A. Vohs, Jr. Habitat use by Columbian white-tailed deer, 610
Survival: Desert mule deer fawns, 657
Radio-equipped willow grouse, 170
Radio-marked spruce grouse, 316
Survivorship: Contiguous deer herds, 889
Swanson, George A., *see* Fritzell, Erik, 253
Sweeney, James M., John R. Sweeney, and Ernest E. Provost. Reproductive biology of a feral hog population, 555
Sweeney, John R., *see* Sweeney, James M., 555
Swenson, Jon E. Factors affecting status and reproduction of ospreys in Yellowstone National Park, 595
Switzerland. New black-tag for passerines, 245
Sylvilagus floridanus, see Rabbit, cottontail

Taxidea taxus, see Badger
Teal, blue-winged: Nesting relationships, 367
Techniques: Aging beaver, 804
Aging common snipe, 754
Aging hares by eye lens weights, 965
Aging juvenile white-tailed ptarmigan, 508
Aging mourning doves by molt, 202
Aging sandhill cranes, 211, 269
Antiovulatory drug effects on deer, 428
Back tag for passerines, 245
Bias and error in radio triangulation, 926
Censusing deer, 258
Control coyote attack on sheep, 780
Density estimation by variable area transect, 484
Detecting rodents in coyote scats, 783
Determining degree and aspect of slope, 250
Distance method for censusing deer, 969
Dry weight for estimating elk femur marrow fat, 560
Evaluating habitat values of rights-of-way, 642
Fecal analysis of herbivore diet, 468
Fire and disking on plants and seeds, 807
Food habits of caribou and reindeer, 192
Helicopter census effects on birds, 756
Helicopter census of deer, 777
Identifying coyote and wolf scats, 786
Life traps for ground squirrels, 571
Live-trapping marten, 850
Movements and segregation of caribou, aerial survey, 626
Movements of radio-instrumented wood ducks, 102
Pellets per mule deer defecation, 563
pH of ungulate feces, 796
Radio-marking spruce grouse, 316
Radio packages and reproduction in willow grouse, 170
Radio packages on turkey hens, 760
Radiotelemetry of pheasants, 705
Rearing and training elk calves, 568
Reducing blackbird damage to corn, 184
Roadside count of rabbits, 765
Tableted bait to deliver uniform dosage to red-winged blackbirds, 743
Track counts for marten, 850
Use of cover by pheasant broods, 334
Woodcock movements, 414
Telemetry: Acoustically sensitive transmitter, 1001
Bias and error in radio triangulation, 926
Effects on willow grouse, 170
Movement of wood ducks, 102
Pheasants, 705
Radio packages on turkey hens, 760

Spruce grouse in Alberta, 316
Woodcock movements, 414
Temperature: Responses of wapiti to cold, 564
Temple, Stanley A., ed. *Endangered birds: management techniques for preserving threatened species, (reviewed)*, 1011
Tennessee. Autumn and winter foods of grouse, 121
Decline and management of gray bat, 1
Winter foods of bluebirds, 752
Territoriality: Of coyotes, 944
Texas. Aldrin exposure on snow geese in rice fields, 94
Bird population in pines, 549
Nest box utilization by black-bellied whistling ducks, 936
Nighttime roadside counts, 765
Precision in aerial censusing, 777
Supplemental feeding to increase turkeys, 512
Weights of lesser snow geese, 531
Trout, J. Richard, *see* Wolgast, Leonard J., 239
Thomas, Vernon G., *see* Prevett, J. Paul, 736
Timber harvesting: And marten in Maine, 850
Time-budget: Measured by telemetry, 1001
Titterington, R. W., H. S. Crawford, and B. N. Burgason. Songbird responses to commercial clear-cutting in Maine spruce-fir forests, 602
Tivelo stultorum, see Clam, pismo
Total serum proteins: Serum nitrogen in deer, 454
Track counts: Marten in Maine, 850
Transect methods: Density estimation by variable area transect, 484
Guidelines for line transect sampling, 70
Line-transects based on right-angle distances, 768
Robust estimation from line transect, 992
Transmitter: Acoustically sensitive, 1001
Trap response: Simulation of learned, 474
Trichechus manatus, see Manatee, West Indian
Trichosurus vulpecula, see Opossum, brush-tailed
Truett, Joe C. Observations of coyote predation on mule deer fawns in Arizona, 956
Turkey, wild: Effects of radio packages on behavior, 760
Influence of hunting regulations, 128
Supplemental feeding to increase productivity, 512
Turner, J. W., *see* Kirkpatrick, Jay F., 801
Tuttle, Merlin D. Status, causes of decline, and management of endangered gray bats, 1

Ungulate: Habitat use by Columbian white-tailed deer, 610
United Nations Educational, Scientific, and Cultural Organization. *The man-made landscape, (reviewed)*, 1013
Urban, W. E., Jr., *see* Holter, J. B., 880
Urbston, David F., *see* Dapson, Richard W., 889
see Ramsey, P. R., 136
Urness, Phillip J., *see* Deschamp, Joseph A., 154
Ursus americanus, see Bear, black
Utah. Decline in redhead duck nesting, 224
Stress in captive feral horses, 801
Summer diets of mule deer, 154

Vegetation characteristics: Grouse drumming sites, 324
Vegetation: Study of woodcock movements, 414
Verme, L. J. Influence of nutrition on fetal organ development in deer, 791
see Bahnak, B. R., 454
Virginia. Influence of hunting regulations on wild turkey, 128
Vohs, Paul A., Jr., *see* Suring, Lowell H., 610
Vowles, Richard H., *see* Pease, James L., 43

Waddington, D. C., *see* Fitzgerald, Alice E., 468
Wallmo, O. C., *see* Baker, D. L., 162
Ward, G. D., *see* Graeger, D. C., 1001
Warner, Richard E. Use of cover by pheasant broods in east-central Illinois, 334
Washington. Energy expenditure by elk calves, 445
Habitat use of Columbian white-tailed deer, 610
Perch-sites of wintering bald eagles, 221
Waterbuck, defassa: Forage shifts and seasonal rain, 899
Waterfowl: Age-specific mortality, 356
Aging mallards, 384
Blue-winged teal nesting, 367
Dump nesting by wood ducks, 347
Methylmercury in mallards, 394
Nest rafts for fluctuating water levels, 979
Sex ratios of canvasback, 811
Use of pothole habitat by mallards, 526
Use of wetlands, 375
Weights of lesser snow geese, 531
Weather: Foods of bluebirds during winter, 752
Weaver, Janna K., and Henry S. Mosby. Influence of hunting regulations on Virginia wild turkey populations, 128
Weaver, John L., and Stephen W. Hoffman. Differential detectability of rodents in coyote scats, 783
and Steven H. Fritts. Comparison of coyote and wolf scat diameters, 786
Weeden, Robert B., *see* Ellison, Laurence N., 176
Weights: Of lesser snow geese, 531
Weller, Milton W. Density and habitat relationships of blue-winged teal nesting in northwestern Iowa, 367
Welling, Charles H., and William J. L. Sladen. Canvasback sex ratios on Rhode and West Rivers, Chesapeake Bay, 1972–78, 811
West Virginia. Effects of radio packages on wild turkeys, 760
Wetlands: Waterfowl use of, 375
White, R. G., *see* Holleman, D. F., 192
Whitfield, Douglas W. A., *see* Leighton, Frederick A., 61
Whitten, Kenneth R., *see* Cameron, Raymond D., 626
Whyte, Richard J., *see* Fafarman, Keith R., 765

Wiken, E. B., and G. R. Ironside, eds. *Ecological (biophysical) land classification in urban areas, (reviewed)*, 1012
Wilderness management: Human disturbance on bighorn sheep, 909
Wiley, James W. The white-crowned pigeon in Puerto Rico: Status, distribution, and movements, 402
Winter: Fire and fruit yields, 1007
Measuring activity of badgers, 997
Winter range: Weights of lesser snow geese, 531
Wisconsin. Coyote and wolf scat diameters, 786
Renesting, nest selection by pheasants, 705
Wobeser, Gary A., and Frederick A. Leighton. A simple burrow entrance live trap for ground squirrels, 571
Wolf: Scat diameter of wolf and coyote, 786
Wolgast, Leonard J., and J. Richard Trout. Late spring frost affects yields of bear oak acorns, 239
Woodcock, American: Movements and habitat utilization, 414
Wood duck: Dump nesting, 347
Food selection and breeding status, 109
Movements and habitat use in Illinois, 102
Woody plants: Fruit yields after fire, 1007
Woolf, Alan, *see* Burbank, Roland K., 788
Woronecki, Paul P., Richard A. Dolbeer, Charles R. Ingram, and Allen R. Stickley. 4-Aminopyridine effectiveness reevaluated for reducing blackbird damage to corn, 184
Wyoming. Factors affecting status and reproduction of ospreys in Yellowstone National Park, 595

Zarnock, Stanley J. Simulation of effects of learned trap response on three estimators of population size, 474
Zenaida macroura, see Dove, mourning
Zenaida auriculata, see Dove, eared
Zizania aquatica, see Rice, wild

INCLUDES

SUPPLEMENT(S)